


Q1. The diagram shows the structure of an atom.



(a) In 1931 scientists thought that atoms contained **only** protons and electrons.

Suggest what happened in 1932 to change the idea that atoms contained only protons and electrons.

.....
.....

(1)

(b) The table gives information about the particles in an atom.

Complete the table by adding the names of the particles.

Particle	Relative Mass	Relative Charge
	1	0
	very small	-1
	1	+1

(2)

(Total 3 marks)


- Q2.** (a) The names of three types of radiation are given in **List A**. Some properties of these three types of radiation are given in **List B**.

Draw **one** line from each type of radiation in **List A** to its correct property in **List B**.

List A Type of radiation	List B Property of radiation
alpha	will pass through paper but is stopped by thin metal
beta	has the shortest range in air
gamma	will not harm human cells
	is very weakly ionising

(3)

- (b) The radioactive isotope iodine-123 can be used by a doctor to examine the thyroid gland of a patient. The iodine, taken as a tablet, is absorbed by the thyroid gland. The gamma radiation emitted as the iodine atoms decay is detected outside the body.



The doctor uses an isotope emitting gamma radiation to examine the thyroid gland rather than an isotope emitting alpha or beta radiation.

Which **one** of the following gives a reason why gamma radiation is used?

Tick (✓) **one** box.

Gamma radiation will pass through the body.

Gamma radiation is not deflected by a magnet.

Gamma radiation has a long range in air.

(1)

(c) Iodine-123 has a half-life of 13 hours.

Use a word from the box to complete the sentence.

all	half	most
------------	-------------	-------------

After 13 hours of the iodine-123 atoms the thyroid absorbed have decayed.

(1)

(d) Iodine-123 and iodine-131 are two of the isotopes of iodine.

Draw a ring around the correct answer to complete the sentence.

The nucleus of an iodine-123 atom has the same number of

electrons
neutrons
protons


as the

nucleus of an iodine-131 atom.

(1)

(Total 6 marks)

Q3. The pie chart shows the sources of the background radiation and the radiation doses that the average person in the UK is exposed to in one year. Radiation dose is measured in millisieverts (mSv).



(a) (i) What is the total radiation dose that the average person in the UK receives?

.....

Total radiation dose = mSv

(1)

(ii) A student looked at the pie chart and then wrote down three statements.

Which **one** of the following statements is a correct conclusion from this data?

Put a tick (✓) in the box next to your answer.

In the future, more people will be exposed to a greater proportion of radon gas.

People that have never had an X-ray get 50 % of their radiation dose from radon gas.

The radiation dose from natural sources is much greater than from artificial sources.

(1)

- (b) The concentration of radon gas inside a home can vary from day to day.

The table gives data for the radiation measured in homes in four different parts of the UK. The radiation was measured using two detectors, one in the living room and one in the bedroom. The measurements were taken over 3 months.

Area of the UK	Number of homes in the area	Number of homes in the sample	Average radiation in Bq/m ³	Maximum radiation in Bq/m ³
A	590 000	160	15	81
B	484 000	130	18	92
C	221 000	68 000	162	10 000
D	318 000	35 300	95	6 900

- (i) Give **one** reason why the measurements were taken over 3 months using detectors in different rooms.

.....
.....

(1)

- (ii) Use information from the table to suggest why a much higher proportion of homes were sampled in areas **C** and **D** than in areas **A** and **B**.


.....
.....
.....

(2)

(Total 5 marks)

- Q4.** (a) A teacher used a Geiger-Müller (GM) tube and counter to measure the *background radiation* in her laboratory.

The teacher reset the counter to zero, waited one minute and then took the count reading. The teacher repeated the procedure two more times.



- (i) Background radiation can be either from natural sources or from man-made sources.

Name **one man-made** source of background radiation.

.....

(1)

- (ii) The three readings taken by the teacher are given in the table.

Count after one minute
15
24
18

The readings given in the table are correct.

Why are the readings different?

.....

.....

(1)

- (b) Some scientists say they have found evidence to show that people living in areas of high natural background radiation are less likely to develop cancer than people living in similar areas with lower background radiation.

The evidence these scientists found does not definitely mean that the level of background radiation determines whether a person will develop cancer.

Suggest a reason why.

.....

.....

(1)

- (c) An atom of the isotope radon-222 emits an alpha particle and decays into an atom of polonium.

An alpha particle is the same as a helium nucleus. The symbol below represents an alpha particle.



- (i) How many protons and how many neutrons are there in an alpha particle?

Number of protons =

Number of neutrons =

(2)


- (ii) The decay of radon-222 can be represented by the equation below.

Complete the equation by writing the correct number in each of the **two** boxes.



(2)

- (d) The graph shows how, in a sample of air, the number of radon-222 nuclei changes with time.



Use the graph to find the half-life of radon-222.

Show clearly on the graph how you obtain your answer.

Half-life = days

(2)

(Total 9 marks)

Q5. In 2011 an earthquake caused severe damage to a nuclear power station in Japan.

The damage led to the release of large amounts of radioactive iodine-131 ($^{131}_{53}\text{I}$) into the atmosphere.

(a) The table gives some information about an atom of iodine-131 ($^{131}_{53}\text{I}$).

Complete the table.

mass number	131
number of protons	53
number of neutrons	

(1)

(b) Complete the sentence.


The number of protons in an atom is called the proton number or the number.

(1)

(c) An atom of iodine-131 decays into an atom of xenon (Xe) by emitting a beta particle.

(i) The decay of iodine-131 can be represented by the equation below.

Complete the equation by writing the correct number in each of the **two** boxes.



(2)

(ii) A sample of rainwater contaminated with iodine-131 gives a count rate of 1200 counts per second.

Calculate how many days it will take for the count rate from the sample of rainwater to fall to 75 counts per second.

Half-life of iodine-131 = 8 days

Show clearly how you work out your answer.

.....

..... days

(2)

- (iii) If people drink water contaminated with iodine-131, the iodine-131 builds up in the thyroid gland. This continues until the thyroid is saturated with iodine-131 and cannot absorb any more. The radiation emitted from the iodine-131 could cause cancer of the thyroid.

In Japan, people likely to be drinking water contaminated with iodine-131 were advised to take tablets containing a non-radioactive isotope of iodine.

Suggest why this advice was given.

.....

.....

.....

.....

(2)
(Total 8 marks)

